



Grandview Sliding Patio Doors

| <i>Glass Type</i> | <i>Application</i> | <i>Gas</i> | <i>U Value (Metric)</i> | <i>U-Value (Imperial)</i> | <i>R-Value</i> | <i>Solar Heat Gain</i> | <i>Visible Light</i> | <i>Condensation Resistance</i> | <i>Energy Rating</i> |
|-------------------------------------|--------------------|-------------|-------------------------|---------------------------|----------------|------------------------|----------------------|--------------------------------|----------------------|
| Dual Pane | | | | | | | | | |
| Clear/SHG | High Solar Gain | Argon | 1.70 | 0.30 | 3.33 | 0.52 | 0.60 | 59 | 33 |
| | | Max Thermal | 1.48 | 0.26 | 3.85 | 0.52 | 0.60 | 60 | 38 |
| LowE 2/Clear | Mid-Level | Argon | 1.59 | 0.28 | 3.57 | 0.29 | 0.52 | 60 | 22 |
| | | Max Thermal | 1.36 | 0.24 | 4.17 | 0.29 | 0.52 | 61 | 27 |
| LowE 2/LowE 4/6 | High-Level | Argon | 1.36 | 0.24 | 4.17 | 0.28 | 0.50 | 50 | 26 |
| | | Max Thermal | 1.19 | 0.21 | 4.76 | 0.28 | 0.50 | 51 | 30 |
| Triple Pane-High Performance | | | | | | | | | |
| SHG/Clear/SHG | High Solar Gain | Argon | 1.19 | 0.21 | 4.76 | 0.43 | 0.53 | 67 | 39 |
| | | Max Thermal | 0.97 | 0.17 | 5.88 | 0.43 | 0.53 | 72 | 44 |
| LowE 2/Clear/Clear | Mid-Level | Argon | 1.36 | 0.24 | 4.17 | 0.27 | 0.47 | 66 | 26 |
| | | Max Thermal | 1.14 | 0.20 | 5.00 | 0.26 | 0.47 | 68 | 30 |
| LowE 2/Clear/LowE 4/6 | High-Level | Argon | 1.25 | 0.22 | 4.55 | 0.26 | 0.46 | 56 | 28 |
| | | Max Thermal | 1.02 | 0.18 | 5.56 | 0.26 | 0.46 | 59 | 33 |
| LowE 2/SHG/LowE 4/6 | High-Level | Argon | 1.08 | 0.19 | 5.26 | 0.25 | 0.45 | 61 | 31 |
| | | Max Thermal | 0.85 | 0.15 | 6.67 | 0.25 | 0.45 | 64 | 36 |